

## Auxiliary Hardware Brass Padlocks

## Gainsborough offer a selection of quality 45mm and 50mm brass padlocks, featuring brass and steel materials and 6 pin cylinder security.

The range includes hardened steel or brass shackles in 4 different sizes.

Gainsborough padlocks can be easily keyed to other products in the architectural range for your convenience.





**450 Series** 50mm Brass Padlock Key locking type

### 445 Series

45mm Brass Padlock Shackle locking type



## **Product Information**

#### Finishes

Brass body, with brass or steel shackles.

#### Cylinder

The Gainsborough standard brass cylinder features 6 pin tumbler and C4 keyway.

#### Operation

445 Brass Padlocks, Latching action. Shackle locking type – key can be removed when unlocked.

450 Brass Padlocks Deadlock action. Key locking type – key cannot be removed in unlocked position.

## 445 Brass Padlocks

## **Keying Information**

6 pin tumbler cylinder supplied in the standard broach, keyed to differ with 2 keys per lock. Groups of 10 keyed alike available. All Gainsborough padlocks come with two brass keys.

Standard keyed differently (KD) unless otherwise specified.

Each padlock can be specially keyed in a Gainsborough 6 pin tumbler system to meet the needs of the commercial and residential building requirements.

Locks can be keyed alike, master keyed, grand master keyed and maison keyed - refer to page vi in Introduction section for details.

#### **Keying Codes**

| KA   | Keyed Alike              |
|------|--------------------------|
| MK   | Master Keyed             |
| GMK  | Grand Master Keyed       |
| GGMK | Great Grand Master Keyed |
| MA   | Maison Keyed             |

| Product         | Description                                              | Catalogue No.  |
|-----------------|----------------------------------------------------------|----------------|
| 45mm Brass Body | 19mm Steel shackle-opening<br>19mm Brass shackle-opening | 4451S<br>4451B |
| $\bigcap$       | 38mm Steel shackle-opening<br>38mm Brass shackle-opening | 4452S<br>4452B |
|                 | 48mm Steel shackle-opening<br>48mm Brass shackle-opening | 4453S<br>4453B |
|                 | 90mm Steel shackle-opening<br>90mm Brass shackle-opening | 4454S<br>4454B |

Shackle locking type - key can be removed when unlocked. Keyed alike groups of 10 available.

## 450 Brass Padlo

| Ð |   | 6 | GI.      | п   |   |  |
|---|---|---|----------|-----|---|--|
|   | u | - | <u> </u> | Ľ., | 5 |  |

### **50mm Brass Body**



Key locking type - key cannot be removed when in unlocked position. Keyed alike groups of 10 available.

| Description                                              | Catalogue No   |
|----------------------------------------------------------|----------------|
| 19mm Steel shackle-opening<br>19mm Brass shackle-opening | 4501S<br>4501B |
| 38mm Steel shackle-opening<br>38mm Brass shackle-opening | 4502S<br>4502B |
| 48mm Steel shackle-opening<br>48mm Brass shackle-opening | 4503S<br>4503B |
| 90mm Steel shackle-opening<br>90mm Brass shackle-opening | 4504S<br>4504B |



Gainsborough offers a range of quality architectural hinges to suit commercial or upper residential building requirements.


The range incorporates stainless steel broad butt hinges, including bearing options.

A stainless steel lift-off hinge is also offered in this superb array of commercial product.

Satin chrome, chrome plate and extruded brass broad butt hinges can also be selected, and are detailed in the pages within.

All products are manufactured to Gainsborough's high quality standards and feature stainless steel, steel or brass materials with flat capped pin design.

The range features the popular sizes required for commercial applications with a cross section of fixed pin or loose pin varieties to cater for external or internal doors.



A selection of Gainsborough Architectural Hinges

GAINSBOROUGH



All dimensions shown within are Length x Width x Thickness

Product

Description

Catalogue No.

#### Stainless Steel Flat Capped 2.5 Broad Butt Hinge



Loose Pin or Fixed Pin Fixing: 10 Gauge wood screws (4 only) and M5 metal thread screws (4 only) Packaged 2 hinges per inner carton

## Flat Capped Loose Pin – Stainless Steel 100 x 75 x 2.5mm 100 x 100 x 2.5mm Flat Capped Fixed Pin – Stainless Steel 100 x 75 x 2.5mm

100 x 100 x 2.5mm

GA1075FCFSS GA1010FCFSS

GA1075FCLSS

GA1010FCLSS

Stainless Steel Flat Capped 2.5 Bearing Broad Butt Hinge



Fixed Pin only Fixing: 10 Gauge wood screws (4 only) and M5 metal thread screws (4 only) Packaged 2 hinges per inner carton

### Flat Capped Fixed Pin – Stainless Steel

100 x 75 x 2.5mm 100 x 100 x 2.5mm

GA1075BBFSS GA1010BBFSS



| All dimensions shown within are Length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | n x Width x Thickness                                                                                                                |               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Product                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Description                                                                                                                          | Catalogue No. |
| Stainless Steel Flat Capped<br>2.5 Bearing Quick Fix Hinge<br>(Suits Aluminium Door Fixing)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                      |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Fixed Pin only<br>Fixing: 10 Gauge wood screws (3 only)<br>and M5 metal thread screws (3 only)<br>Packaged 2 hinges per inner carton |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Bearing Flat Capped Fixed Pin – Stainless Steel                                                                                      |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 100 x 70 x 2.5mm                                                                                                                     | GA1070BBQFSS  |
| Stainless Steel Flat Capped<br>2.0 Lift-Off Hinge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                      |               |
| 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Fixing: 8 Gauge wood screws (8 only)<br>Packaged 2 hinges per inner carton                                                           |               |
| 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Flat Capped Lift-Off Hinge – Stainless Steel – Left Hand                                                                             |               |
| O Good                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 100 x 75 x 2.0mm                                                                                                                     | GA1075FCLOSSL |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Flat Capped Lift-Off Hinge – Stainless Steel – Right Hand                                                                            |               |
| 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 100 x 75 x 2.0mm                                                                                                                     | GA1075FCLOSSR |
| Left Hand shown.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                      |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                      |               |
| Stainless Steel Medium Duty<br>1.5 Butt Hinge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                      |               |
| 0 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Loose Pin or Fixed Pin Medium Duty<br>Fixing: 8 Gauge wood screws (8 only)<br>Packaged 2 hinges per inner carton                     |               |
| O Archite                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Loose Pin – Stainless Steel                                                                                                          |               |
| O the office of | 100 x 75 x 1.5mm                                                                                                                     | GA1075LSS     |
| 0 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Fixed Pin – Stainless Steel                                                                                                          |               |
| <b>1</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 100 x 75 x 1.5mm                                                                                                                     | GA1075FSS     |
| Polished Stainless Steel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                      |               |
| Medium Duty 1.5 Butt Hinge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Looso Pip or Eived Pip Medium Duty                                                                                                   |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Loose Pin or Fixed Pin Medium Duty<br>Fixing: 8 Gauge wood screws (8 only)<br>Packaged 2 hinges per inner carton                     |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Loose Pin – Polished Stainless Steel                                                                                                 |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 100 x 75 x 1.5mm                                                                                                                     | GA1075LPS     |
| 0 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Fixed Pin – Polished Stainless Steel                                                                                                 |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 100 x 75 x 1.5mm                                                                                                                     | GA1075FPS     |

All dimensions in mm

## Auxiliary Hardware Architectural Hinges

GAINSBOROUGH



All dimensions shown within are Length x Width x Thickness

Product

Description

100 x 100 x 2.5mm

Catalogue No.

GA1010FCFSC

### Satin Chrome Plated Steel Flat Capped 2.5 Broad Butt Hinge



Loose Pin or Fixed Pin Fixing: 10 Gauge wood screws (4 only) and M5 metal thread screws (4 only) Packaged 2 hinges per inner carton

# Flat Capped Loose Pin – Satin Chrome on Steel GA1075FCLSC 100 x 75 x 2.5mm GA1010FCLSC 100 x 100 x 2.5mm GA1010FCLSC Flat Capped Fixed Pin – Satin Chrome on Steel GA1075FCFSC 100 x 75 x 2.5mm GA1075FCFSC

Chrome Plated Steel Flat Capped 2.5 Broad Butt Hinge



Loose Pin or Fixed Pin Fixing: 10 Gauge wood screws (4 only) and M5 metal thread screws (4 only) Packaged 2 hinges per inner carton

| Flat Capped Loose Pin – Chrome Plate on Steel |             |
|-----------------------------------------------|-------------|
| 100 x 75 x 2.5mm                              | GA1075FCLCP |
| 100 x 100 x 2.5mm                             | GA1010FCLCP |
| Flat Capped Fixed Pin – Chrome Plate on Steel |             |
|                                               |             |
| 100 x 75 x 2.5mm                              | GA1075FCFCP |

## Satin Chrome Plated Steel Flat Capped 2.5 Bearing Broad Butt Hinge



| Bearing Flat Capped Fixed Pin – Satin Chrome on Steel |
|-------------------------------------------------------|
| Packaged 2 hinges per inner carton                    |
| and M5 metal thread screws (4 only)                   |
| Fixing: 10 Gauge wood screws (4 only)                 |
| Fixed Pin only                                        |

100 x 75 x 2.5mm 100 x 100 x 2.5mm GA1075BBFSC GA1010BBFSC



All dimensions shown within are Length y Width y Thickness

| All dimensions shown within are Length                                        | n x Width x Thickness                                                                                                                        |               |
|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Product                                                                       | Description                                                                                                                                  | Catalogue No. |
| Extruded Brass<br>2.5 Broad Butt Hinge<br>– Polished Brass Finish             |                                                                                                                                              |               |
|                                                                               | Loose Pin or Fixed Pin<br>Fixing: 10 Gauge wood screws (4 only)<br>and M5 metal thread screws (4 only)<br>Packaged 2 hinges per inner carton |               |
| O III III O                                                                   | Flat Capped Loose Pin – Polished Brass                                                                                                       |               |
|                                                                               | 100 x 75 x 2.5mm                                                                                                                             | GA1075FCLPB   |
| 0 0                                                                           | 100 x 100 x 2.5mm                                                                                                                            | GA1010FCLPB   |
|                                                                               | Flat Capped Fixed Pin – Polished Brass                                                                                                       |               |
|                                                                               | 100 x 75 x 2.5mm                                                                                                                             | GA1075FCFPB   |
|                                                                               | 100 x 100 x 2.5mm                                                                                                                            | GA1010FCFPB   |
| Extruded Brass<br>2.0 Medium Duty Broad Butt Hinge<br>– Polished Brass Finish |                                                                                                                                              |               |
| 0 0                                                                           | Loose Pin or Fixed Pin<br>Fixing: 8 Gauge wood screws (8 only)<br>Packaged 2 hinges per inner carton                                         |               |
| O Archite                                                                     | Loose Pin – Polished Brass                                                                                                                   |               |
|                                                                               | 100 x 75 x 2.0mm                                                                                                                             | GA1075LPB     |
|                                                                               | Fixed Pin – Polished Brass                                                                                                                   |               |



Fixed Pin – Polished Brass 100 x 75 x 2.0mm GA1075FPB



## Gainsborough offers a complete range of architectural door hardware to fully complement other architectural products presented in the range.

This selection of product encompasses pull handles with round rosettes or square backplates, D pulls, push plates, pull handles on plates, flush bolts, barrel bolts, skeleton bolts, door stops, hat and coat hooks and catches.

Manufactured to Gainsborough's quality standards, the 6000 series range of general hardware is available in the popular architectural finishes allowing co-ordination with Gainsborough door furniture products.



A selection of Gainsborough General Hardware

GAINSBOROUGH



| D-         | Ρ | ul | l F | ła | n | dl. | es |
|------------|---|----|-----|----|---|-----|----|
| <b>D</b> - |   | uu |     | la |   |     | 23 |

| Product        | Description       | Catalogue N |
|----------------|-------------------|-------------|
| D-Pull Handles | Length x Diameter |             |
|                | 100 x 10mm        | 6401        |
|                | 150 x 12mm        | 6402        |
|                | 150 x 16mm        | 6403        |
|                |                   |             |
|                |                   |             |

6401 & 6403 D-Pull Handles are available in Stainless Steel and Polished Stainless Steel, 6402 is available in Stainless Steel only.

### **Back to Back D-Pull Handle**



6413

6400VF



Back to Back D-Pull Handle is available in Stainless Steel

| Visible Fix Rose | Diameter x Thickness |
|------------------|----------------------|
| 0                | 50 x 2mm             |
|                  | Suits D-Pull Handles |
| 0                | 6403                 |
|                  | 6404                 |
|                  | 6405                 |
|                  | 6406                 |

Visible Fix Rose are available in Stainless Steel and Polished Stainless Steel

Finish Codes: SS Stainless Steel PS Polished Stainless Steel

Note: Add finish code to above to form complete catalogue number e.g. 6401 PS.



## Auxiliary Hardware General Hardware

| Pull Handles on Plates – Visible Fix with Countersunk Holes |                           |                                                |               |  |  |  |
|-------------------------------------------------------------|---------------------------|------------------------------------------------|---------------|--|--|--|
| Product                                                     | Description               |                                                | Catalogue No. |  |  |  |
| Pull Handles on Plates –Visible Fiz                         | x with Countersunk        | Holes                                          |               |  |  |  |
| c c                                                         |                           | ength x Width x Thickness<br>Length x Diameter |               |  |  |  |
|                                                             | Plate Size<br>Handle Size | 250 x 65 x 1.8mm<br>150 x 12mm                 | 6420/02*      |  |  |  |
|                                                             | Plate Size<br>Handle Size | 300 x 65 x 1.8mm<br>150 x 16mm                 | 6430/03       |  |  |  |
|                                                             | Plate Size<br>Handle Size | 300 x 65 x 1.8mm<br>200 x 16mm                 | 6430/04       |  |  |  |
| c                                                           | Plate Size<br>Handle Size | 300 x 75 x 1.8mm<br>150 x 16mm                 | 6440/03       |  |  |  |
|                                                             | Plate Size<br>Handle Size | 300 x 75 x 1.8mm<br>200 x 16mm                 | 6440/04       |  |  |  |
|                                                             | Plate Size<br>Handle Size | 300 x 100 x 1.8mm<br>150 x 16mm                | 6450/03*      |  |  |  |
|                                                             | Plate Size<br>Handle Size | 300 x 100 x 1.8mm<br>200 x 16mm                | 6450/04*      |  |  |  |
|                                                             | Plate Size                | 300 x 100 x 1.6mm                              | 6500/04*      |  |  |  |

#### Pull Handle on Plate, Visible Fix with Countersunk Holes

Handle Size



300 x 100 x 1.8mm Handle size: 150 x 16mm

200 x 16mm

6450/04 SS OPL



| Product                   | Description                | Catalogue No. |
|---------------------------|----------------------------|---------------|
| Push Plates – Visible Fix | with Countersunk Holes     |               |
| 0 0                       | Length x Width x Thickness |               |
|                           | 250 x 65 x 1.8mm           | 6420*         |
|                           | 300 x 65 x 1.8mm           | 6430*         |
|                           | 300 x 75 x 1.8mm           | 6440          |
|                           | 300 x 100 x 1.8mm          | 6450*         |
|                           |                            |               |
| 0 0                       |                            |               |

#### Concealed Fix with Stainless Steel Studs usn Plates

| 300 x 75 x 1.8mm  | 6445  |
|-------------------|-------|
| 300 x 100 x 1.8mm | 6455* |

### Push Plates – Visible Fix with Countersunk Holes

| ° push ° | 300 x 100 x 1.8mm | 6450 SS OPH |
|----------|-------------------|-------------|
|          |                   |             |
| 1.1      |                   |             |
| 1.1.1    |                   |             |
| c c      |                   |             |

Finish Codes: SS Stainless Steel PS Polished Stainless Steel

Note: Add finish code to above to form complete catalogue number e.g. 6420/02 SS. \*6420, 6430, 6450 and 6455 are in Polished Stainless Steel **(PS)** only





## **Auxiliary Hardware**

General Hardware

96PSI



## **Indicator Bolts/Sets**

| Product                                                                                  | Description                                                                                                                               | Catalogue No. |
|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Indicator Bolt                                                                           |                                                                                                                                           |               |
|                                                                                          | Surface Mounted                                                                                                                           | 6100*         |
|                                                                                          | Indicator bolt with staple, turn and<br>emergency access from outside.<br>Indicator "Engaged"or "Vacant"                                  |               |
| Indicator Bolt with Safety<br>Release Turn External                                      |                                                                                                                                           |               |
| θ                                                                                        | Surface Mounted                                                                                                                           | 6101*         |
|                                                                                          | Indicator bolt with staple, turn and emergency access from outside.                                                                       |               |
|                                                                                          | Features safety release turn external                                                                                                     |               |
|                                                                                          | Indicator "Engaged"or "Vacant"                                                                                                            |               |
| Indicator Set                                                                            |                                                                                                                                           |               |
| and a state                                                                              | Surface Mounted                                                                                                                           | 6100HOI*      |
|                                                                                          | Indicator bolt (as above) but with<br>door bumper staple, hold open spring<br>hinges, door hat and coat hook and<br>fixing bolts and nuts |               |
| *6100 Indicator Bolt, 6010 Indicator Bolt with Safet<br>available in Satin Chrome Plate. | y Release Turn External and 6100 Indicator Set are only                                                                                   |               |

### **Mortice Indicator Bolt Set**



Indicator escutcheon shown above

55mm diameter round rosettes to complement the 9600 series

Includes privacy bolt, internal turnbutton escutcheon and external emergency release indicator escutcheon – shows red for engaged, green for released

Suits doors 35mm to 45mm thick

60mm backset

Finish Codes: CP Chrome Plate SC Satin Chrome Plate BG Bright Goldtone

Note: Add finish code to above to form complete catalogue number e.g. 6100 CP.

## **Auxiliary Hardware**

General Hardware



#### . . 10 .

| Indicator Bolts/Sets                                                              |                                                                                                                                                                | STATE ME      |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Product                                                                           | Description                                                                                                                                                    | Catalogue No. |
| Mortice Indicator Bolt Set                                                        |                                                                                                                                                                |               |
|                                                                                   | Square backplates to complement the 9900 series                                                                                                                | 99PSI*        |
|                                                                                   | Includes privacy bolt, internal turnbutton<br>escutcheon and external emergency release<br>indicator escutcheon – shows red for engaged,<br>green for released |               |
|                                                                                   | Suits doors 35mm to 45mm thick                                                                                                                                 |               |
|                                                                                   | 60mm backset                                                                                                                                                   |               |
| Indicator escutcheon shown above<br>*99PSI Mortice Indicator Bolt is only availab | le in Chrome Plate and Satin Chrome Plate.                                                                                                                     |               |
| 96SIB Sliding Indicator Bolt Set                                                  | Suite cliding dears                                                                                                                                            | 96SIB*        |
|                                                                                   | Suits sliding doors                                                                                                                                            | 703ID*        |
|                                                                                   | 55mm diameter round rosettes to complement the 9600 series                                                                                                     |               |
|                                                                                   | Includes latch, internal turnbutton escutcheon<br>and external emergency release indicator<br>escutcheon – shows red for engaged,<br>green for released        |               |
|                                                                                   | Suits doors 35mm to 45mm thick                                                                                                                                 |               |
| Indicator escutcheon shown above                                                  | 60mm backset                                                                                                                                                   |               |
| 99SIB Sliding Indicator Bolt Set                                                  |                                                                                                                                                                |               |
|                                                                                   | Suits sliding doors                                                                                                                                            | 99SIB*        |
|                                                                                   | Square backplates to complement the 9900 series                                                                                                                |               |
|                                                                                   |                                                                                                                                                                |               |

Includes latch, internal turnbutton escutcheon and external emergency release indicator escutcheon - shows red for engaged, green for released

Suits doors 35mm to 45mm thick

60mm backset

Indicator escutcheon shown above

\*96SIB and the 99SIB Sliding Indicator Bolt Sets are only available in Chrome Plate and Satin Chrome Plate.

## Finish Codes: CP Chrome Plate SC Satin Chrome Plate



| Product                | Description         | Catalogue N |
|------------------------|---------------------|-------------|
| ectangular Flush Pulls | with Rounded Ends   |             |
|                        | 120mm x 50mm x 13mm | 96FP120 SS  |
|                        | 150mm x 50mm x 13mm | 96FP150 SS  |
|                        |                     |             |
|                        |                     |             |
|                        |                     |             |

## **Rectangular Flush Pulls with Rectangular Ends**

\_\_\_\_

-

| - |  |  |
|---|--|--|
|   |  |  |

120mm x 50mm x 13mm 150mm x 50mm x 13mm

99FP120 SS 99FP150 SS



## **Flush Bolts and Barrel Bolts**

| Product                                             | Description                                                 | Catalogue No. |
|-----------------------------------------------------|-------------------------------------------------------------|---------------|
| Flush Bolts                                         | Length x Body Width with Bolt Projection                    |               |
|                                                     | 150 x 19mm with 25mm Projection                             | 6051          |
| <u>a</u> <u>a</u>                                   | 200 x 19mm with 25mm Projection                             | 6052          |
|                                                     | 300 x 19mm with 25mm Projection                             | 6053*         |
| U                                                   | 400 x 19mm with 25mm Projection                             | 6054*         |
|                                                     |                                                             |               |
| Barrel Bolts                                        | Length x Bolt Diameter with Bolt Projection                 |               |
| · · · · ·                                           | 75 x 10mm with 25mm Projection                              | 6001*         |
|                                                     | 100 x 10mm with 25mm Projection                             | 6002          |
|                                                     | 150 x 10mm with 25mm Projection                             | 6003          |
|                                                     | 200 x 10mm with 25mm Projection                             | 6004*         |
|                                                     | 150 x 10mm with Long Throw Bolt 45mm Projection             | 6008          |
| Necked Barrel Bolt                                  |                                                             |               |
|                                                     | 150 x 10mm Bolt with 25mm Projection                        | 6010*         |
| Floor Plate                                         |                                                             |               |
|                                                     | <b>To suit Barrel Bolt:</b><br>6001, 6002, 6003, 6004, 6010 | 6000FP*       |
| *Floor Plates are suitable for Barrel Bolts and are | only available in Satin Chrome Plate                        |               |
| Reverse Barrel Bolt                                 | Length x Width x Bolt Diameter                              |               |
|                                                     | 150 x 32 x 9mm with 25mm Projection                         | 6009          |

Finish Codes: CP Chrome Plate SC Satin Chrome Plate PB Polished Brass

**Note:** Add finish code to above to form complete catalogue number e.g. **6051 CP**. \*6053, 6001, 6004 and 6010 are in Satin Chrome Plate **(SC)** only



## **Brass Skeleton Bolts**

| Product               | Description          | Catalogue No. |
|-----------------------|----------------------|---------------|
| Dania Ciralatan Dalta | Length               |               |
| Panic Skeleton Bolts  | Visible Fix          |               |
| $\rho$ $\rho$         | 200mm                | 6019          |
|                       | 250mm                | 6020          |
|                       | 300mm                | 6021          |
| 0 0                   | 450mm                | 6022          |
|                       | 600mm                | 6023          |
| <u> </u>              |                      |               |
|                       | Offset Concealed Fix |               |
| 0_0                   | 250mm                | 6030          |
| <b>u</b>              | 300mm                | 6031          |
|                       | 450mm                | 6032          |
|                       | 600mm                | 6033          |
|                       |                      |               |
| Panic Skeleton Bolts  | Concealed Fix        |               |
| 0                     | 250mm                | 6040          |
|                       | 300mm                | 6041          |
|                       | 450mm                | 6042          |
| Ť                     | 600mm                | 6043          |

Finish Codes: SC Satin Chrome Plate

Note: Add finish code to above to form complete catalogue number e.g. 6020 SC.

0\_0

0 0

GAINSBOROUGH



## timited Guarantee

| Rim Night Latch |                                                                                                                                                                                                                             | Limited Guarantee |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Product         | Description                                                                                                                                                                                                                 | Catalogue No      |
| Rim Nightlatch  |                                                                                                                                                                                                                             |                   |
|                 | Rim Nightlatch/Brown Case<br>Lock Case & 1000/CYL<br>Includes opening In & Out strike                                                                                                                                       | 6200              |
|                 | Rim Nightlatch/Brown Case<br>Lock Case less cylinder<br>Includes opening In & Out strike                                                                                                                                    | 6200NC            |
|                 | Rim Nightlatch – fire-rated/Stainless Steel Case<br>with internal turn-knob.<br>Lock Case & 1000/CYL<br>Includes opening In & Out strike<br>Can be used on fire doors – refer<br>AS1905.1.2005 – Fire Resistant Doorsets    | 6200F             |
|                 | Rim Nightlatch – fire-rated/Stainless Steel Case<br>with internal turn-knob.<br>Lock Case less cylinder<br>Includes opening In & Out strike<br>Can be used on fire doors – refer<br>AS1905.1.2005 – Fire Resistant Doorsets | 6200FNC           |
| Rim Cylinder    | Rim Cylinder<br>To suit Nightlatch and<br>6200F Nightlatch – fire-rated                                                                                                                                                     | 1000/CYLR         |
| Strike          |                                                                                                                                                                                                                             |                   |
|                 | Opening Out Strike<br>To suit 6200 Nightlatch and<br>6200F Nightlatch – fire-rated                                                                                                                                          | 6200/SP01         |

Finish Codes: SC Satin Chrome Plate PB Polished Brass CP Chrome Plate

**Note:** Add finish code to above to form complete catalogue number e.g. **6200 SC** where cylinder is required. Finish not required for 6200NC, 6200FNC or 6200/SP01

\* Note: Guarantee applies to 6200, 6200NC, 6200F & 6200FNC Rim Nightlatches only.

+ Note: For more information on Fire Ratings please contact your Gainsborough representative. Applicable to 6200F & 6200FNC only.

10.18

#### GAINSBOROUGH



## Auxiliary Hardware General Hardware

|                                                                                                   | Tar<br>Res                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description                                                                                       | Catalogue N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 'Elite'<br>Base: 50mm Diameter<br>Height: 44mm                                                    | 6201                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| '2-50'<br>Base: 54mm x 75mm<br>Height: 35mm                                                       | 6202                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 'New Stop'<br>Base: 45mm Diameter<br>Height: 23mm                                                 | 6205                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 'New Stop'<br>With 12mm Rise<br>Base: 45mm Diameter<br>Height: 35mm                               | 6206                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 'New Stop' Spacer<br>20mm Spacer to suit 6205/6206 stop                                           | 6205SP*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| te and Satin Chrome Plate.                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 'Round Magnetic Catch Floor Stop'<br>Base: 33mm Diameter<br>Middle: 40mm Diameter<br>Height: 44mm | 6210 NA*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 'Floor Stop – Square'<br>80mm length with Rubber Buffer<br>Width: 22mm<br>Height: 22mm            | 6211*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                   | <ul> <li>'Elite'<br/>Base: 50mm Diameter<br/>Height: 44mm</li> <li>'2-50'<br/>Base: 54mm x 75mm<br/>Height: 35mm</li> <li>'New Stop'<br/>Base: 45mm Diameter<br/>Height: 23mm</li> <li>'New Stop'<br/>With 12mm Rise<br/>Base: 45mm Diameter<br/>Height: 35mm</li> <li>'New Stop' Spacer<br/>20mm Spacer to suit 6205/6206 stop</li> <li>te and Satin Chrome Plate.</li> <li>'Round Magnetic Catch Floor Stop'<br/>Base: 33mm Diameter<br/>Height: 44mm</li> <li>'Floor Stop – Square'<br/>80mm length with Rubber Buffer<br/>Width: 22mm</li> </ul> |

\*6211 Floor Stop – Square is only available in Chrome Plate and Satin Chrome Plate.

Finish Codes: SC Satin Chrome Plate PB Polished Brass CP Chrome Plate

GAINSBOROUGH



| Door Stops                                                                          |                                                                                             | Tarnish<br>Guarantee |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|
| Product                                                                             | Description                                                                                 | Catalogue No.        |
| Floor Stops                                                                         | Pillar floor stop<br>31.5mm diameter, 40mm high                                             | 6212*                |
|                                                                                     | Incline floor stop<br>40mm diameter, 25mm high                                              | 6213*                |
|                                                                                     | Wedge floor stop<br>76.5mm diameter, 28mm high                                              | 6214 <sup>+</sup>    |
| * 6212 Pilar and 6213 Incline floor stop<br>† 6214 Wedge floor stop is only availat | ps are only available in Chrome Plate and Satin Chrome Plate.<br>ole in Satin Chrome Plate. |                      |
| Wall Stops                                                                          | 93mm Length with Rubber Buffer                                                              | 6204                 |
|                                                                                     | 75mm Length with Rubber Buffer                                                              | 6203                 |
|                                                                                     | 75mm Length with Rubber Buffer<br>Tube: 19mm Diameter                                       | 6207                 |
|                                                                                     | 70mm to 92mm Extendable Wall or Floor Stop with magnet<br>Base: 38mm Diameter               | 6209                 |
|                                                                                     | 'Wall Stop – Square'<br>80mm length with Rubber Buffer<br>Width: 22mm<br>Height: 22mm       | 6211 <sup>‡</sup>    |
| - oz i i waii siop – square is only avail                                           | able in Chrome Plate and Satin Chrome Plate.                                                |                      |

Finish Codes: CP Chrome Plate SC Satin Chrome Plate PB Polished Brass



## Hat & Coat Hook

| Product         | Description                   | Catalogue No. |  |  |
|-----------------|-------------------------------|---------------|--|--|
| Hat & Coat Hook |                               |               |  |  |
|                 | Hat and Coat Hook with bumper | 6219          |  |  |

## **Brass Double Ball Catches**

| Product                   | Description                | Catalogue No. |
|---------------------------|----------------------------|---------------|
| Brass Double Ball Catches | 50mm long – Natural Colour | 6220*         |
|                           | 75mm long – Natural Colour | 6221*         |

\*Brass Double Ball Catches are only available in Natural (self colour) Finish

## **Roller Catch**

| Product                                                                                              | Description                          |                                                   | Catalogue No. |  |  |
|------------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------|---------------|--|--|
| Roller Catch                                                                                         |                                      |                                                   |               |  |  |
|                                                                                                      | Roller Catch – /                     | Adjustable                                        | 6230*         |  |  |
| *Roller Catch is available in Chrome Plate, Satin Chrome Plate, Florentine Bronze and Polished Brass |                                      |                                                   |               |  |  |
| Heavy Duty Roller Catch                                                                              |                                      |                                                   |               |  |  |
| 8                                                                                                    | Heavy Duty Roller Catch – Adjustable |                                                   | 6231*         |  |  |
|                                                                                                      | Faceplate:                           | 84mm high<br>26mm wide                            |               |  |  |
|                                                                                                      | Strike Plate:                        | 70mm high<br>28mm wide<br>46mm wide including lip |               |  |  |
| *6231 Heavy Duty Roller Catch is only available in                                                   | Satin Chrome Plate                   |                                                   |               |  |  |

<sup>6</sup>231 Heavy Duty Roller Catch is only available in Satin Chrome Plate.

Finish Codes: CP Chrome Plate SC Satin Chrome Plate PB Polished Brass

Note: Add finish code to above to form complete catalogue number e.g. 6219 CP.

## Auxiliary Hardware Spacer Rings



Catalogue No.

**KT9400SR** 

## Spacer Rings

Product


Description

### To suit 9400 or 9600 Series levers



The KT9400SR Spacer Ring (set of 2) allows the installation of 9400 or 9600 Series leversets to a pre-bored 47mm-54mm diameter hole through door face.

Finishes to complement 9400 (Brass) Series or 9600 Series leversets: CP, SC, BG Other finish to complement 9400 Series Stainless Steel leversets: SSF



**KT9400SR** Spacer Rings (Set of 2)

**Note:** Spacer Ring can be seen outside diameter of 9400 and 9600 rose.


## To suit a 9600 Series leverset or a 9400 Series Stainless Steel leverset when used in conjunction with a 9609 Privacy adaptor



The KT9609SR Spacer Rings (set of 2) allows the installation of a 9600 Series leverset or a 9400 Series Stainless Steel leverset when used in conjunction with a 9609 privacy adaptor to a pre-bored 50mm-54mm diameter hole through door face.

## Finishes to complement 9600 Series leversets: CP, SC, BG

Other finish to complement 9400 Series Satinless Steel leversets: SSF



Spacer Rings (Set of 2)

**Note:** Spacer Ring can be seen outside diameter of 9609/9600 rose or 9609/9400 Stainless Steel rose.

Finish Codes: CP Chrome Plate SC Satin Chrome Plate BG Bright Goldtone SSF Stainless Steel Finish\*

\*Note: SSF Stainless Steel Finish is a plated finish to closely match Stainless Steel.

Note: Add finish code to above to form complete catalogue number e.g. 6231 SC.

KT9600SR

## Architectůřál

## Auxiliary Hardware Spacer Plates

## **Spacer Plates**

Product


Description

## Catalogue No.

#### To suit 9900 series levers




The KT9900SR Spacer Plates (set of 2) allows the installation of 9900 Series levers to a pre-bored 47mm-54mm diameter hole through door face.




#### **KT9900SR** Spacer Plates (Set of 2)

**Note:** Spacer Plate can be seen outside diameter of 9900 backplate.

### To suit a 9900 series leverset when used in conjunction with a 9909 Privacy adaptor



The KT9909SR Spacer Plates (set of 2) allows the installation of a 9900 Series leverset when used in conjunction with a 9909 privacy adaptor to a pre-bored 50mm-54mm diameter hole through door face.



Internal

**KT9909SR** Spacer Rings (Set of 2)

External

**Note:** Spacer Plate can be seen outside diameter of 9909/9900 backplate.

## KT9900SR

KT9909SR

GAINSBOROUGH



Limited Guarantee

| Dual Sprung Tubular Latc                                                                                                                                           | Limited Guarantee                                                                       |               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------|
| Product                                                                                                                                                            | Description                                                                             | Catalogue No. |
| The dual sprung '480' and '960/980' S<br>feature a heavy duty main spring for f<br>return during normal operation of ha<br>light duty latchbolt spring for easy do | firm action and positive<br>ndles and a secondary                                       |               |
| The '960/980' Series latch also incluc                                                                                                                             |                                                                                         |               |
| 480 Rectangular                                                                                                                                                    | Rectangular face with rectangular strike<br>60mm backset                                | 480           |
| 480T Rectangular                                                                                                                                                   | Rectangular face with universal strike<br>60mm backset                                  | 480T          |
| 481 Rectangular                                                                                                                                                    | Rectangular face with rectangular strike<br>70mm backset                                | 481           |
| 482 Drive-in                                                                                                                                                       | Drive-in face with round strike<br>60mm backset                                         | 482           |
|                                                                                                                                                                    | ('483' Drive-in 70mm Backset also available)                                            |               |
| 488 Radius Corner                                                                                                                                                  | Radius corner face with radius strike<br>60mm backset                                   | 488           |
| 960/980 Rectangular                                                                                                                                                | Rectangular face with universal strike<br>Heavy duty sintered steel cam<br>60mm backset | 980           |

Finish Codes: CP Chrome Plate PB Polished Brass SC Satin Chrome Plate


Note: Add finish code to above to form complete catalogue number e.g. 6231 SC.

Note: The above latches are recommended for use in conjunction with Gainsborough Architectural door furniture for


optimum performance and operation.

## **Dual Sprung Tubular Latches**


### **Limiting Dimensions**




PT480/SPSQ **Rectangular Strike Plate** 




PT480/SPT **Universal Strike Plate** 




-R6.4 PT488/SPRC **Radius Corner Strike Plate** 







Rectangular/Radius Latch Body



Rectangular/Radius Latch Body (top view)



Drive-in Latch Body



Drive-in Latch Body (top view)