# Sliding Door Hardware

Ì

1



LOCKWOOD ASSA ABLOY



www.lockweb.com.au









page 3

Cavity Sliding Door Locks

page 10

Patio Bolt®

680

page 13





The Lockwood Onyx Patio Sliding Door Lock incorporates advanced security and safety features making this product the ideal choice for sliding patio door applications.

#### **Style and Function**

This range takes design cues from contemporary architectural styling and complements several of Lockwood's most popular levers to provide a harmonious look and feel throughout the home.

The functionality of the range has been enhanced by the intuitive operation of the unique sliding snib and the innovative LockAlert<sup>®</sup> feature that indicates the lock status at a glance.

#### Application

Surface mounted lockset suitable for use with most aluminium and timber sliding doors.

The flexible chassis coupled with innovative design features results in a non-handed product that is extremely easy to install and suitable for new and most retrofit applications.

#### Product Range

A wide selection of furniture options are available in the range to suit various sliding door applications. The range includes internal D handles and slim pulls and a variety of external furniture and strike options.



DualSelect® Turn the key for safety mode. Turn the key further to select secure mode.

LockAlert<sup>®</sup>




**Twin Locking Beaks** For added security.






**Secure Mode** Securely locked from both

Interior Indicator shows lock status at a glance.







UUD

**2 Keys Included** Can be keyed alike to other Lockwood door locks.

Product Details		
Door Thickness	19mm to 50mm with the standard screw fixing pack provided	
Finishes	Black Powdercoat <b>(BLK)</b> Silver Powdercoat <b>(SIL)</b> White Powdercoat <b>(WH)</b> Satin Chrome Pearl <b>(SP)</b>	
Fixing	Surface mounted lockset with concealed fixing. Industry standard 82mm pitching centres.	
Handing	Unique modular design allows for non handed installation.	
Keying	Supplied individually keyed with two keys per lock with 78,000 key combinations. Key blank KB2015P. Restricted keying also available on special request.	
Materials	Zinc diecast construction & Brass cylinders.* * Satin Chrome Pearl finish.	

Note: Other plated and powdercoated finishes available as special order.

#### Standards and Compliance

<b>S4</b>	(Security) Australian Lock Standard (AS4145.2.2008)
D8	(Durability) Australian Lock Standard (AS4145.2.2008)



Kinetic Defence® Bump and pick resistant.





Aluminium




### **Internal Furniture**











- 1 D-Handle Locking
- **2** D-Handle Non Locking
- **5** D-Handle Dummy



- 3 Slim Pull Locking
- 4 Slim Pull Non Locking
- 6 Slim Pull Dummy








### **External Furniture**



A	Slim Pull Locking
B	Slim Pull Non Locking



- C Flat Outer Pull Locking
- D Flat Outer Pull Non Locking



30

|

82


183


33

7.0° Key Offset




- E Mortice Pull Locking
- F Mortice Pull Non Locking





### **External Furniture**






#### G Cover Plate



### L Polymer Pull Locking

K Polymer Pull Non Locking











### **Strikes**












2 Universal Fiz







**3** Extra Width Surface Fix





### **Strikes**



#### 4 Side (Face) Fix

